

URICA

| Reference (see below) | Population Studied | Behavior Version | Version Length | Reliability Cronbach's Alphas |
|----------------------------------|---|-----------------------------|---|--|
| Carney, et, al (1995) | N=414 | Alcohol | 32 item- only 28 items used for scoring | .80-.84 for each of 4 subscales |
| Carbonari, et. al (2000) | N=1183 | Alcohol | 28 item | .68-.85 for each of 4 subscales |
| DiClemente, et. al (1990) | N=224 | Alcohol | 32 item- only 28 items used for scoring | Precontemplation (.69) Contemplation (.75) Action (.82) Maintenance (.80) |
| Carbonari, et. al (1994) | N=1726 N=952 Outpatient N=774 Aftercare | Alcohol | 24 items | (Outpatient/Aftercare) Precontemplation (.75/.74) Contemplation (.81/.79) Action (.83/.82) Maintenance (.86/.74) |
| Project DELTA, unpublished | N=497 | Reduced Drinking | 12 item | Precontemplation (.66) Contemplation (.73) Action (.74) Maintenance (.81) |
| Belding et. al (1996) | N=276 | Drug | 34 item | Precontemplation (.71) Contemplation (.71) Action (.69) Maintenance (.52) |
| Rothfleisch, et. al (1998) | N=196 | Drug | 12 item | Precontemplation (.55) Contemplation (.62) Action (.84) Maintenance (.35) |
| Siegal et. al (2001) | N=235 | Drug | 32 item | Precontemplation (.79) Contemplation (.83) Action (.85) Maintenance (.76) |
| Grencavage et. al (2001) | N=63 | Psychotherapy | 32 item | Precontemplation (.80) Contemplation (.67) Action (.83) Maintenance (.86) |
| Pantaloni et. al (2002) | N=106 | Psychotherapy | 32 item | Precontemplation (.75) Contemplation (.79) Action (.83) Maintenance (.78) |

- Carney, M.M. and Kivlahan, D.R. (1995). Motivational subtypes among veterans seeking substance abuse treatment: Profiles based on stages of change. *Psychology of Addictive Behaviors*, 9, 135-142.
- Carbonari, J.P. and DiClemente, C.C. (2000). Using theoretical model profiles to differentiate levels of alcohol abstinence success. *Journal of Consulting and Clinical Psychology*, 68, 810-817.
- DiClemente, C.C. and Hughes, S.O. (1990). Stages of change profiles in outpatient alcoholism treatment. *Journal of Substance Abuse*, 2, 217-235.
- Carbonari, J.P., DiClemente, C.C., and Zweben, A. (1994, November). *A readiness to change measure*. Paper presented at the meeting of the Association for Behavioral and Cognitive Therapies, San Diego, CA.
- Belding, M.A., Iguchi, M.Y., and Lamb, R.J. (1996). Stages of change in methadone maintenance: Assessing the convergent validity of two measures. *Psychology of Addictive Behaviors*, 10, 157-166.
- Rothfleisch, J. (1998). Comparison of two measures of stages of change among drug abusers. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 59(6-B), Dec 1998. pp. 3073.
- Siegal, H.A., Li L., Rapp, R.C., Saha, P. (2001). Measuring readiness for change among crack cocaine users: A descriptive analysis. *Substance Use and Misuse*, 36, 687-700.
- Grencavage, L.M. (2001). Demand-withdraw couple interaction, disease-model beliefs, and readiness to change problem drinking. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 61(8-B), Feb 2001. pp. 4406.
- Pantalon, M.V., Nich, C., Frankforter, T., and Carroll, K.M. (2002). The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems. *Psychology of Addictive Behaviors*, 16, 299-307.

